

Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name/ Trade Name: OxiClean MultiPurpose HMIS

codes H F R P

1 0 0 ND

Supplier: Orange Glo

International MSDS preparation date: April 8, 2003 PO Box 3998 By: F. Holzhauer Littleton, CO 80110 USA MSDS Revision date: April 8, 2003

MSDS Reviewed: April 8, 2003

Emergency Phone: 303-740-1909

Poison Control (US): 1-800-222-1222

Transportation emergencies: ChemTrec 800-424-9300

Information Phone: 303-740-1909

Section 2: COMPOSITION/INFORMATION ON INGREDIENTS

General Description: White granular mixture, with minor blue inclusions.

Hazardous Ingredients:

Ingredients not precisely identified are proprietary or nonhazardous

CAS #	Chemical name	%'age range
15630-89-4	Sodium percarbonate	50-70%
497-19-8	Sodium carbonate (soda ash)	30-50%
		-
		-
		-

Section 3: HAZARDS IDENTIFICATION

This product is a consumer product. To the extent the product is used in a fashion typical to that of a consumer, protective measures, with the exception of those indicated on the label, are not normally necessary. Where use conditions and/or extent and duration of exposure differ from typical consumer use, however, appropriate protective measures to prevent eye and prolonged skin contact (glasses, goggles, rubber gloves, protective clothing) and minimize inhalation exposure (engineering controls, NIOSH-approved respiratory protection appropriate for the hazard presented) are recommended.

General: Harmful if swallowed, irritating to eyes. Contamination may cause

decomposition. Not flammable, but damp material decomposes

exothermically.

Emergency: Seek medical attention for eye exposure and ingestion

Primary Route(s) of Entry: Eye, skin contact, inhalation, ingestion

Effects of Overexposure- Dust inhalation may cause irritation of respiratory tract; may cause

Inhalation: dizziness, drowsiness, headache, nausea and vomiting.

Effects of Overexposure- Harmful if swallowed

Ingestion:

Effects of Overexposure-Eyes: Extremely irritating to the eyes and may cause severe damage Effects of Overexposure-Skin: Extremely irritating to the eyes and may cause severe damage Slightly irritating to the skin; cleaning action can dry the skin.

Page 1 of 1 Tsunami MSDS



Effects of Overexposure-Chronic None known Hazards:

Section 4: FIRST AID MEASURES

Skin: Wash with water and soap, and rinse thoroughly. If skin irritation continues, consult

a doctor.

• Eyes: Flush eyes immediately with water for 15 minutes. Consult doctor.

• Ingestion: Do not induce vomiting. Rinse mouth with water and consult a doctor. Concious

persons may drink water or juice to dilute.

Inhalation: Remove to fresh air. Administer oxygen if needed. Apply artificial respiration if

breathing has stopped. Seek medical attention if symptoms exist.

Section 5: FIRE FIGHTING MEASURES

Flashpoint and > 200 deg F Flammable limit: NA Flammable limit: NA

method used: (LEL) (UEL)

Auto-ignition temperature: NA - product is not self igniting

Extinguishing media: CO2, extinguishing powder or water spray/fog.

Special fire-fighting Breat

protective equipment:

Breathing apparatus

Unusual fire and explosion

hazards:

Material decomposes exothermically when damp. Rapid oxygen evolution may increase intensity of a fire. Keep separate from oxidizers, flammables and reducing agents. Carbon monoxide, dioxide as combustion products.

Explosion data: ND

Section 6: ACCIDENTAL RELEASE MEASURES

Personal protective Large spills: self contained breathing apparatus. Small spills from

equipment: consumer size packaging: avoid breathing dust.

Material release or spill: Ventilate area. remove all sources of ignition. Clean up area with

absorbant material and place in waste containers for disposal. Flush area well with water. Dampened product should not be stored indoors or in

hermetically sealed containers.

Other: Dispose of in accordance with local, state and federal regulations.

Material collected with absorbant may be disposed in a permitted landfill in accordance with state, local and federal regulations. Empty container

may retain product residue.

Section 7: HANDLING AND STORAGE

Storage: Store and use in a cool, dry, well ventilated area. Do not store above 120

deg. F (48 deg C.).

Page 2 of 2 Tsunami MSDS



Precautions during Do not spray solution in eyes. Do not take internally. See product label for

handling and storage: additional information

Section 8: **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure limits: ND

Engineering controls: General protective and hygienic measures. Keep away from foodstuffs,

beverages and food. Keep cool and dry.

None under normal use. Use of safety glasses with splash guards or full Eye protection:

face shield is recommended for industrial applications.

Solvent resistant gloves for prolonged or repeated contact. Protective clothing:

None required if room is well ventilated. If vapors are present, use NIOSH Respiratory protection:

or MSDA approved respiratory equipment.

Other PPE: None

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White, with minor Blue inclusions

Odor: Strong Laundry Detergent

Physical state: Powder

Boiling point: NA - powder

Vapor Pressure: NA - powder Vapor density: NA - powder

Solubility in water: 140 a/L@75 dea F. Evaporation rate: NA ~10.8. 1% in water Viscosity: NA pH:

Melting point: NA- can decompose Specific Gravity: NA above 55 deg. C.

% volatile by volume: Cloud point: NA NA NA

Partition coefficient: Freezing point: NA

Coefficient of water/oil NA

distribution:

Bulk density = 1.0-

1.2q/cc

Section 10: STABILITY AND REACTIVITY

No decomposition if used according to specifications Stability: Incompatibility: Oxidizers, Reducing agents, flammable substances

Temperatures above 55 deg C (130 deg F). High humidity levels Conditions to avoid:

No hazardous decomposition products are known Hazardous decomposition: Hazardous polymerization: No hazardous polymerization products are known

Section 11: **TOXICOLOGICAL PROPERTIES**

No toxic chemical(s) subject to the reporting requirements of Section 313 Acute oral toxicity

of Title III and of 40 CFR372 are present.

Not listed as a carcinogen by ACGIH, IARC, NTP, OSHA Carcinogenicity:

Tsunami MSDS Page 3 of 3



Reproductive toxicity/

No toxic chemical(s) subject to the reporting requirements of Section 313

Teratogenicity:

of Title III and of 40 CFR372 are present.

Mutagenicity: Toxicologically synergistic No information None known

products:

Section 12: ECOLOGICAL INFORMATION

Persistence and degradation: Degradation byproducts are H2O2, O2 and sodium carbonate (soda ash)

Toxicity: ND Other: ND

Section 13: DISPOSAL CONSIDERATIONS

Disposal method: Do not dispose of powder with household waste. Complete dissolution in water

prior to reaching sewage system, flush well with water.

Container disposal: Rinse with water. Dispose in household waste as per local regulations. Some

containers are of recyclable plastic. Contact local recycling programs for

information.

Section 14: TRANSPORT INFORMATION

DOT proper shipping NA - blend is DOT technical name: NA

name: nonhazardous

DOT Hazard class: NA Hazard subclass: NA UN Number, proper NA Packing group: NA

shipping name:

Other Transport NA

information:

Section 15: REGULATORY INFORMATION

TSCA: All components are listed on the TSCA inventory

DSL: All components are listed on DSL

OSHA Haz Com 29 CFR MSDS prepared pursuant to the Hazard Communication Standard

1910.1200: (29 CFR 1910.1200)

WHMIS Classification: Sodium percarbonate Class C, D2B

CERCLA and SARA: Sodium percarbonate SARA section 311/312- reaction hazard, SARA

313- Not Applicable

Section 16: OTHER INFORMATION

% Volatile Organic Compounds (VOCs)

< 1%

Legend: N.D. Not Determined N.E. Not Established N.A. Not Applicable

The information provided has been adapted from the manufacturer supplied MSDS.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from use of MSDS information.

Page 4 of 4 Tsunami MSDS



MSDS Addendum

Always follow label instructions and warnings. Typical use of product is a guideline only.

Typical Use of	A chlorine free mixture used in solution with water as a stain remover and general
Product:	cleaner for carpets and hard surfaces, and as a laundry additive. Common dilutions are 1:1 up to 1:120 in water (see package label for applications). Mixing of solution should not be done in a closed container due to outgassing of Oxygen which may
	cause container to burst. Keep away from face when opening mixing containers. Do not mix with household cleaners. As with all cleaners, test solution on an
	inconspicuous place prior to complete surface cleaning. Rinse surface or substrate well after treatment.

Page 5 of 5 Tsunami MSDS